Subject index of volume 110

Abstinence 333
Abstraction 219
Acetylcholine 119
1-Acetyl-4-methylpiperazine 347
Acoustic startle reflex 379
Acquisition 5
Activity 371
Adenosine triphosphate-sensitive potassium channel 500
Administration 5
Aggression 53, 451
Agonistic behavior 451
Alcoholism 181
Amnesia 181
Amnesic effect 13
Amphetamine 60, 115, 125, 152, 169, 309, 479
Animal behavior 451
Animal model 245
Antagonism 280
Anticonvulsant 13
Antidepressants 140
Antipanic 245
Antipsychotic 119
Anxiety 19, 198, 240, 245, 342, 368, 409
Anxiolytic 13, 257
Anxiolytics 379
Apomorphine 97, 169, 177, 320, 427
Apomorphine-induced stereotyped behavior 165
Atropine 103
Attention 395, 415, 479
Atypical 119
Atypical antipsychotics 177
Autoreceptors 460
Autoshaping 5
Awareness 374

Baboon 1
Baclofen 295
Baroreceptor stimulation 337
Behavior 273
Behavioral sensitization 320
Behavioural sensitization 159
Benzodiazepine 181
Benzodiazepine antagonist 280, 467
Benzodiazepine binding sites 13
Benzodiazepine pharmacodynamics 85
Benzodiazepine receptors 198
Benzodiazepines 240, 379, 451, 471
Beta-adrenergic receptor 110
Bezold-Jarisch reflex 257
Bicuculline-induced convulsion 500
Biphasic 69
Blood lipid levels 337
Blood pressure 37
Bombesin 193
Bombesin receptor antagonist 193
Brain 103
Brain stimulation reward 119
BRL 46470A 257
Bromocriptine 402
Buspirone 280

Caerulein 213
Caffeine 45, 169, 437
Calcium 497
^{45}Calcium uptake 133
cAMP 37
CANTAB 395
Cat 240
Catecholamine receptor antagonists 193
Catecholamines 203
CCK 383
CCK receptors 213
CCK-8us-Devazepide 409
Central α-2 adrenoceptors 209
Ceruletide 383
CGS-8216 467
L-*Chiro*-inositol 229
Chlordiazepoxide 60
Cholesterol 337
Chronic drug use 219
Chronic treatment 140, 245
Clomipramine 302
Cloned human dopamine receptors 27
Clonidine 209
Clozapine 119, 145, 273, 365
Cocaine 5, 115, 169, 287, 309, 390, 402, 415, 427
Cocaine sensitization 443
Coffee 45
Cognition 219
Cognitive performance 45
Conditioned avoidance response 273
Conditioned place preference 460
Conditioned reinforcement 355
Conditioned taste aversion 76
Conditioning 125
Corticosterone 467
Cross-sensitization 402
D-Cycloserine 165
C57B1/6J mice 69

DA autoreceptors 177
Defense 245
Delayed-matching-to-sample 327
Dementia of the Alzheimer type (DAT) 395
Dependence 19, 379
Depression 235
Desipramine 37
Desmethylimipramine 110
Diazepam 13, 19, 85, 280, 295, 467, 490
Diisopropylfluorophosphate 103
Dimethocaine 287
Discrimination 1
Discrimination learning 76
DMPP 347
DN 2327 280
DOI 97
Dopamine 97, 119, 145, 152, 159, 187, 355, 383, 402, 443, 460, 479
Dopamine agonists 27
Dopamine antagonists 27
Dopamine D_2 receptors 27
Dopamine receptor subtypes 273
Dopamine receptors 265
Dopamine synthesis 273
Dorsal periaqueductal grey matter 198
Double-blind design 437

Drinking behavior 5
Drug discrimination 53, 115, 209, 280, 287, 295, 309, 347
Drug interactions 302, 471
Drug mixtures 309
Dyskinesias 383
D_1 agonist 69
D_1 and D_2 receptors 355
D_1 antagonist 69
D_1 receptor 69
D_2 receptor 152

EDTA 497
Elevated plus maze 490
Elevated plus-maze 19, 213
Enhanced sensitivity 60
Ethanol tolerance 443
Ethyl-alcohol 471
Expectancy 437

Fear 245
Feeding 193, 451
Field conditions 371
Flumazenil 409, 490
Fluoxetine 390
Fluvoxamine 302
Food 460
Food deprivation 5
Food intake 203

GABA 443
GABA (*gamma*-aminobutyric acid) 295
Gamma aminobutyric acid 368
Generalization 280
Glucose and saccharin (G+S) 5
Grip strength 92
Growth hormone 177
GTP analogues 27
Guinea-pig 490

Haloperidol 119, 145, 187, 427
Heart rate 37, 371
Hedonia 460
Heroin 402
5-HT 53, 490
5-HT_2 receptors 365
5-HT_3 receptors 213, 257
5-HT_{1A} 390
5HT_{1C} receptor 140
Human brain 265
Human subjects 365
Hydroxylation 302
Hyperactivity 69

ICSS 119
Imagery 219
Imidazoline preferring receptors 209
Imipramine 245
[^{3}H]Imipramine binding 235
Incentive learning 460
Informed consent 437
Intravenous 5
Intrusive thoughts 333
[^{125}I]-2'iodospiperone 27
Iowa Tests 219
Isolation-induced 53
Isoproterenol 37

Subject index of volume 110

Abstinence 333
Abstraction 219
Acetylcholine 119
1-Acetyl-4-methylpiperazine 347
Acoustic startle reflex 379
Acquisition 5
Activity 371
Adenosine triphosphate-sensitive potassium channel 500
Administration 5
Aggression 53, 451
Agonistic behavior 451
Alcoholism 181
Amnesia 181
Amnesic effect 13
Amphetamine 60, 115, 125, 152, 169, 309, 479
Animal behavior 451
Animal model 245
Antagonism 280
Anticonvulsant 13
Antidepressants 140
Antipanic 245
Antipsychotic 119
Anxiety 19, 198, 240, 245, 342, 368, 409
Anxiolytic 13, 257
Anxiolytics 379
Apomorphine 97, 169, 177, 320, 427
Apomorphine-induced stereotyped behavior 165
Atropine 103
Attention 395, 415, 479
Atypical 119
Atypical antipsychotics 177
Autoreceptors 460
Autoshaping 5
Awareness 374

Baboon 1
Baclofen 295
Baroreceptor stimulation 337
Behavior 273
Behavioral sensitization 320
Behavioural sensitization 159
Benzodiazepine 181
Benzodiazepine antagonist 280, 467
Benzodiazepine binding sites 13
Benzodiazepine pharmacodynamics 85
Benzodiazepine receptors 198
Benzodiazepines 240, 379, 451, 471
Beta-adrenergic receptor 110
Bezold-Jarisch reflex 257
Bicuculline-induced convulsion 500
Biphasic 69
Blood lipid levels 337
Blood pressure 37
Bombesin 193
Bombesin receptor antagonist 193
Brain 103
Brain stimulation reward 119
BRL 46470A 257
Bromocriptine 402
Buspirone 280

Caerulein 213
Caffeine 45, 169, 437
Calcium 497
^{45}Calcium uptake 133
cAMP 37
CANTAB 395
Cat 240
Catecholamine receptor antagonists 193
Catecholamines 203
CCK 383
CCK receptors 213
CCK-8us-Devazepide 409
Central α-2 adrenoceptors 209
Ceruletide 383
CGS-8216 467
L-*Chiro*-inositol 229
Chlordiazepoxide 60
Cholesterol 337
Chronic drug use 219
Chronic treatment 140, 245
Clomipramine 302
Cloned human dopamine receptors 27
Clonidine 209
Clozapine 119, 145, 273, 365
Cocaine 5, 115, 169, 287, 309, 390, 402, 415, 427
Cocaine sensitization 443
Coffee 45
Cognition 219
Cognitive performance 45
Conditioned avoidance response 273
Conditioned place preference 460
Conditioned reinforcement 355
Conditioned taste aversion 76
Conditioning 125
Corticosterone 467
Cross-sensitization 402
D-Cycloserine 165
C57B1/6J mice 69

DA autoreceptors 177
Defense 245
Delayed-matching-to-sample 327
Dementia of the Alzheimer type (DAT) 395
Dependence 19, 379
Depression 235
Desipramine 37
Desmethylimipramine 110
Diazepam 13, 19, 85, 280, 295, 467, 490
Diisopropylfluorophosphate 103
Dimethocaine 287
Discrimination 1
Discrimination learning 76
DMPP 347
DN 2327 280
DOI 97
Dopamine 97, 119, 145, 152, 159, 187, 355, 383, 402, 443, 460, 479
Dopamine agonists 27
Dopamine antagonists 27
Dopamine D_2 receptors 27
Dopamine receptor subtypes 273
Dopamine receptors 265
Dopamine synthesis 273
Dorsal periaqueductal grey matter 198
Double-blind design 437

Drinking behavior 5
Drug discrimination 53, 115, 209, 280, 287, 295, 309, 347
Drug interactions 302, 471
Drug mixtures 309
Dyskinesias 383
D_1 agonist 69
D_1 and D_2 receptors 355
D_1 antagonist 69
D_1 receptor 69
D_2 receptor 152

EDTA 497
Elevated plus maze 490
Elevated plus-maze 19, 213
Enhanced sensitivity 60
Ethanol tolerance 443
Ethyl-alcohol 471
Expectancy 437

Fear 245
Feeding 193, 451
Field conditions 371
Flumazenil 409, 490
Fluoxetine 390
Fluvoxamine 302
Food 460
Food deprivation 5
Food intake 203

GABA 443
GABA (*gamma*-aminobutyric acid) 295
Gamma aminobutyric acid 368
Generalization 280
Glucose and saccharin (G+S) 5
Grip strength 92
Growth hormone 177
GTP analogues 27
Guinea-pig 490

Haloperidol 119, 145, 187, 427
Heart rate 37, 371
Hedonia 460
Heroin 402
5-HT 53, 490
5-HT_2 receptors 365
5-HT_3 receptors 213, 257
5-HT_{1A} 390
5HT_{1C} receptor 140
Human brain 265
Human subjects 365
Hydroxylation 302
Hyperactivity 69

ICSS 119
Imagery 219
Imidazoline preferring receptors 209
Imipramine 245
[^{3}H]Imipramine binding 235
Incentive learning 460
Informed consent 437
Intravenous 5
Intrusive thoughts 333
[^{125}I]-2'iodospiperone 27
Iowa Tests 219
Isolation-induced 53
Isoproterenol 37

Latent inhibition 187, 479
Learning 219
Lidocaine 287
Ligand binding 347
Lithium 229
Lithium-pilocarpine seizures 229
Local anesthetics 287
Locomotion 69, 97, 402
Locomotor activity 125, 152, 320, 347, 427
Log-linear pharmacodynamic modeling 85
Lorazepam 181, 374
L-365, 260 409

MAO inhibitor 140
Marijuana 219
Mecamylamine 347
Memory 219, 395
Memory and learning 421
Mesolimbic 119
Mesulergine 97
Methods 471
(±)3,4-Methylenedioxymethamphetamine (MDMA) 327
Mice 53
Midazolam 1
Mild stress 140
MK-801 125
Moclobemide 140
Monoamines 273
Morphine 254, 500
Motor activity 451
Mouse two-compartment test 409
Muscimol 295
Muscle relaxation 92
Myo-inositol 229
Myorelaxation 13

N. accumbens 187
Na^+-Ca^{2+} exchange 133
N-Demethylation 302
Neuroleptic 119
Neuroleptics 145, 383, 460
Neuropsychological tests 181
Nicotine 169, 187, 333, 337, 347
Nicotine analgesia 497
Nigrostriatal 119, 443
NMDA receptor antagonist 125
Nootropic drugs 421
Noradrenergic 342
Nucleus accumbens 152, 355, 479

8-OH-DPAT 97, 390
Ondansetron 213
Open field 213
Opiates 76
Opioid agonists 60
Opioid antagonists 60, 254
Opioid interaction 254

OTC stimulants 309
Oxiracetam 421

Pain 337
Parabrachial nucleus 76
[^{3}H]Paroxetine binding 235
Penile erection 140
Pentobarbital 280, 295
Pentylenetetrazol 280
Performance 415
Performance enhancement 169
PET 265
Phobia 240
Pigeons 327
Pilocarpine 229
Place preference conditioning 152, 159
Placebo 437
Plasma concentrations 302
5-Platelet HT uptake sites 235
Plus-maze 240
Positron emission tomography 265, 365
3-PPP 145
PRES 337
Priming 333
Procaine 287
Progabide 295
Prolactin 177
Propranolol 110
(1)-Propranolol 97
Psychomotor performance 471
Psychomotor stimulants 287
Psychosis 119

Quinpirole 152, 159, 320, 402

Raclopride 273
Rat 76, 103, 115, 203, 213, 280, 427, 460
Rat brain 110
Rat elevated plus-maze test 409
Rats 5, 60, 159, 193, 198, 287, 497
Reaction time 415
β-Receptor 37
Recognition memory 374
REM sleep deprivation 140
Reward 152, 159, 355
Risk assessment 245
Risperidone 265

Saccadic eye movements 85
Saliva 415
SCH 23390 165, 320
SCH 39166 69
Schedule-controlled behavior 60
Schizophrenia 119, 365, 479
SCH-23390 273
Scopolamine 421
Sedation 13, 374
Sedatives 92
Self 5

Self assessment 471
Selfadministration 1, 390
Self-stimulation 119
Semantic activation 333
Sensitization 125, 402, 427
Serotonin 53, 145, 203, 390
Serotonin receptors 265
Serotonin$_{1C/2}$ 97
Serotonin$_2$ receptor 110
Sertraline 203
Sex differences 245
Skeletal muscle relaxants 92
SKF 38393 69, 320
SL 75102 (4{[(4-chlorophenyl) (5-fluoro-2-hydroxyphenyl) methylene]amino} butyric acid) 295
Smoking 337
Smoking behavior 371
Smooth pursuit eye movements 85
Social behavior 451
Social interactions 257
Sodium lactate 368
Somatostatin receptors 103
Stereoisomers 133
Stereotypy 427
Stimulants 92, 125, 169
Straub tail reaction 254
Stress 152, 159, 467
Stroop interference 333
Substantia nigra 119
Sucrose consumption 159
Sulpiride 145
(−1)-Sulpiride 165
Synaptosomes 133

Tail-flick 497
Tea 45
Tetrahydroaminoacridine (THA) 395
Thiomuscimol 295
THIP (4,5,6,7-tetrahydroisoxazolo[5,4-c] pyridin-3-ol) 295
Tolerance 19, 327
Tricyclic antidepressant 245
Tricyclic antidepressants 133
Tricylic antidepressants 302
Trihexyphenidyl 119

Ultrasounds 379

Ventral tegmental area 119
Vocalizations 379
Voltage-dependent calcium channels 133

Withdrawal 19, 379

X-maze 257

YM 09151−2 165
Yohimbine 342